

Message

---

**From:** Robinson, Valois [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=A4217A71307D4429B7BDC7C80EB40C7D-SHEA, VALOIS]  
**Sent:** 10/5/2020 4:07:08 PM  
**To:** Clark, Amy [Clark.Amy@epa.gov]  
**Subject:** RE: DB: Dewey-Burdock site - Help On Surface Water Comments - answer to your question about have we talked about this site

I was thinking the same thing. I does see like forever ago. Later this week would be great, if you can get through it by then.

Thanks so much!

*Valois*

---

Valois Robinson  
EPA Region 8  
Underground Injection Control Program  
MailCode: 8WD-SDU  
1595 Wynkoop Street  
Denver, CO 80202-1129  
(303) 312-6276  
robinson.valois@epa.gov

---

**From:** Clark, Amy <Clark.Amy@epa.gov>  
**Sent:** Monday, October 5, 2020 10:05 AM  
**To:** Robinson, Valois <Robinson.Valois@epa.gov>  
**Subject:** RE: DB: Dewey-Burdock site - Help On Surface Water Comments - answer to your question about have we talked about this site

Valois - Okay, it is coming back to me, thanks! Somehow that seems forever ago but it was only June. Could I get back to you later this week? Is that soon enough?

Thanks!

--

*Amy Clark* / Produced Water Lead - Water Division / USEPA Region 8 / 303.312.7014

---

**From:** Robinson, Valois <Robinson.Valois@epa.gov>  
**Sent:** Friday, October 2, 2020 7:53 AM  
**To:** Clark, Amy <Clark.Amy@epa.gov>  
**Subject:** RE: DB: Dewey-Burdock site - Help On Surface Water Comments - answer to your question about have we talked about this site

Hi Amy,

We didn't really talk about this site except for this brief email exchange back in June. The assistance I needed was

**Ex. 5 Deliberative Process (DP)**

## Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

So it is no wonder you don't recall this, since all this happened very quickly one day back in June!

I appreciate your help with this!

Thanks!

*Valois*

---

Valois Robinson  
EPA Region 8  
Underground Injection Control Program  
MailCode: 8WD-SDU  
1595 Wynkoop Street  
Denver, CO 80202-1129  
(303) 312-6276  
[robinson.valois@epa.gov](mailto:robinson.valois@epa.gov)

---

**From:** Clark, Amy <[Clark.Amy@epa.gov](mailto:Clark.Amy@epa.gov)>  
**Sent:** Monday, June 15, 2020 11:53 AM  
**To:** Robinson, Valois <[Robinson.Valois@epa.gov](mailto:Robinson.Valois@epa.gov)>  
**Subject:** RE: DB: Help On Surface Water Comments

Sure thing, Valois!

--

*Amy Clark* / Produced Water Lead - Water Division / USEPA Region 8 / 303.312.7014

---

**From:** Robinson, Valois <[Robinson.Valois@epa.gov](mailto:Robinson.Valois@epa.gov)>  
**Sent:** Monday, June 15, 2020 11:35 AM  
**To:** Clark, Amy <[Clark.Amy@epa.gov](mailto:Clark.Amy@epa.gov)>  
**Subject:** RE: DB: Help On Surface Water Comments

Thanks, Amy. I will get my thoughts together so I have a list of specific questions for you.

*Valois*

---

Valois Robinson  
EPA Region 8  
Underground Injection Control Program  
MailCode: 8WD-SDU  
1595 Wynkoop Street  
Denver, CO 80202-1129  
(303) 312-6276  
[robinson.valois@epa.gov](mailto:robinson.valois@epa.gov)

---

**From:** Clark, Amy <Clark.Amy@epa.gov>

**Sent:** Monday, June 15, 2020 11:23 AM

**To:** Robinson, Valois <Robinson.Valois@epa.gov>; DeJong, Stephanie <DeJong.Stephanie@epa.gov>; Minter, Douglas <Minter.Douglas@epa.gov>

**Cc:** Volk, Everett <volk.everett@epa.gov>

**Subject:** RE: DB: Help On Surface Water Comments

**Ex. 5 Deliberative Process (DP)**

**Ex. 5 Deliberative Process (DP)**

Please let me know if you have any questions. Thanks!

**Ex. 5 Deliberative Process (DP)**

*Amy Clark* / Produced Water Lead - Water Division / USEPA Region 8 / 303.312.7014

---

**From:** Robinson, Valois <Robinson.Valois@epa.gov>

**Sent:** Monday, June 15, 2020 7:58 AM

**To:** DeJong, Stephanie <DeJong.Stephanie@epa.gov>; Minter, Douglas <Minter.Douglas@epa.gov>

**Cc:** Clark, Amy <Clark.Amy@epa.gov>; Volk, Everett <volk.everett@epa.gov>

**Subject:** RE: DB: Help On Surface Water Comments

Thanks!

*Valois*

---

Valois Robinson

EPA Region 8

Underground Injection Control Program

MailCode: 8WD-SDU

1595 Wynkoop Street

Denver, CO 80202-1129

(303) 312-6276  
[robinson.valois@epa.gov](mailto:robinson.valois@epa.gov)

---

**From:** DeJong, Stephanie <[DeJong.Stephania@epa.gov](mailto:DeJong.Stephania@epa.gov)>  
**Sent:** Monday, June 15, 2020 7:15 AM  
**To:** Robinson, Valois <[Robinson.Valois@epa.gov](mailto:Robinson.Valois@epa.gov)>; Minter, Douglas <[Minter.Douglas@epa.gov](mailto:Minter.Douglas@epa.gov)>  
**Cc:** Clark, Amy <[Clark.Amy@epa.gov](mailto:Clark.Amy@epa.gov)>; Volk, Everett <[volk.everett@epa.gov](mailto:volk.everett@epa.gov)>  
**Subject:** RE: DB: Help On Surface Water Comments

Hi Valois,

I'm going to ask Amy Clark to help answer your questions along with Everett.

**Ex. 5 Deliberative Process (DP)**

**Ex. 5 Deliberative Process (DP)**

Thanks,  
Stephanie

---

**From:** Robinson, Valois <[Robinson.Valois@epa.gov](mailto:Robinson.Valois@epa.gov)>  
**Sent:** Friday, June 12, 2020 3:59 PM  
**To:** Minter, Douglas <[Minter.Douglas@epa.gov](mailto:Minter.Douglas@epa.gov)>  
**Cc:** DeJong, Stephanie <[DeJong.Stephania@epa.gov](mailto:DeJong.Stephania@epa.gov)>  
**Subject:** RE: DB: Help On Surface Water Comments

Hello Douglas and Stephanie,

Thanks for reaching out.

**Ex. 5 Deliberative Process (DP)**

Are there any other questions I can answer before we move forward?

Thanks so much!

*Valois*

---

Valois Robinson  
EPA Region 8  
Underground Injection Control Program  
MailCode: 8WD-SDU  
1595 Wynkoop Street  
Denver, CO 80202-1129  
(303) 312-6276

[robinson.valois@epa.gov](mailto:robinson.valois@epa.gov)

---

**From:** Minter, Douglas <[Minter.Douglas@epa.gov](mailto:Minter.Douglas@epa.gov)>  
**Sent:** Friday, June 12, 2020 8:52 AM  
**To:** Robinson, Valois <[Robinson.Valois@epa.gov](mailto:Robinson.Valois@epa.gov)>  
**Cc:** DeJong, Stephanie <[DeJong.Stephanie@epa.gov](mailto:DeJong.Stephanie@epa.gov)>  
**Subject:** DB: Help On Surface Water Comments

Hi Valois: Stephanie called me this morning after having been contacted by Everett requesting technical assistance for responding to comments on surface water related issues for the Dewey Burdock UIC permits.

## Ex. 5 Deliberative Process (DP)

She said that Amy would be the best fit for stormwater and Qian would be the best fit for releases to waters of the US.

Can you confirm where the majority of comments fall and whether Qian or Amy would be best person to draft responses?

I told Stephanie that you could reach out to them and she told me she would be giving them a heads up.

Thanks!

Douglas Minter, MPH  
UIC Section Chief  
1595 Wynkoop Street  
USEPA Region 8

(303) 312 6079

“Practicing Public Servant Leadership”